

Article title article title 1

First Author¹, Second Author², Third Author², Fourth Author³, and Fifth Author^{1,*} 2
3

¹Department, Organization, Street, City, 100190, State, Country 4

²Department, Organization, Street, City, 10587, State, Country 5

³Department, Organization, Street, City, 610101, State, Country 6

*Corresponding author: user_id@university.edu 7

Abstract 8

Abstracts must be able to stand alone and so cannot contain citations to the paper's references, equations, etc. An abstract must consist of a single paragraph and be concise. Because of online formatting, abstracts must appear as plain as possible. Three to six keywords must be included. Each keyword should not exceed three words. 9
10
11
12
13

Keywords: keyword1, keyword2, keyword3, keyword4, keyword5, keyword6. 14

Nomenclature 15

T Temperature (K)
 u_i Velocity in the x-direction (m/s)
 τ_{ij} Shear stress (N/m²)
 ω Specific turbulent dissipation rate (1/s)
 Y_ω Dissipation of ω

1. Introduction 16

Your introduction goes here! Simply start writing your document and use the Recompile button to view the updated PDF preview. Examples of commonly used commands and features are listed below to help you get started. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus 17
18
19
20
21
22
23

et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Once familiar with the editor, you can find various project settings in the Overleaf menu, accessed via the button at the top left of the editor. To view tutorials, user guides, and further documentation, please visit our [help library](#), or head to our plans page to [choose your plan](#).

This is an example of a new paragraph with a numbered footnote¹ and a second footnote marker.²

2. Example of First Level Head - Section Head

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

2.1 How to create sections and subsections

Simply use the section and subsection commands, as in this example document! With Overleaf, all the formatting and numbering is handled automatically according to the template you've chosen. If you're using the Visual Editor, you can also create new sections and subsections via the buttons in the editor toolbar.

2.2 This is an example of second level head - subsection head

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor

¹<https://data.gov.uk/>

²Example of footnote text.

ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. 57
Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur 58
consectetuer. 59

2.2.1 This is an example of third level head - subsection head 60

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. 61
Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, 62
nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu 63
purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit 64
erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, 65
ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, 66
egestas vel, odio. 67

This is an example of fourth level head - paragraph head 68

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula 69
hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac 70
habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. 71
Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec 72
pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus 73
ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia 74
nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, 75
vehicula eu, lacus. 76

3. Example of First Level Head 77

3.1 This is an example of second level head - subsection head 78

3.1.1 This is an example of third level head - subsection head 79

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis 80
egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat 81
sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque 82
lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque 83
eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse 84
eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique 85
ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices 86
a, dui. 87

This is an example of fourth level head - paragraph head 88

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi 89
enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. 90

Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consetetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

4. How to Include Equations

Equations in \LaTeX can either be inline or set as display equations. For inline equations use the $\$...\$$ commands. Eg: the equation $H\psi = E\psi$ is written via the command $\$H \psi = E \psi\$$.

For display equations (with auto generated equation numbers) one can use the equation or eqnarray environments:

$$\|\tilde{X}(k)\|^2 \leq \frac{\sum_{i=1}^p \|\tilde{Y}_i(k)\|^2 + \sum_{j=1}^q \|\tilde{Z}_j(k)\|^2}{p+q}, \quad (1)$$

where

$$\begin{aligned} D_\mu &= \partial_\mu - ig \frac{\lambda^a}{2} A_\mu^a \\ F_{\mu\nu}^a &= \partial_\mu A_\nu^a - \partial_\nu A_\mu^a + gf^{abc} A_\mu^b A_\nu^c \end{aligned} \quad (2)$$

Notice the use of `\nonumber` in the align environment at the end of each line, except the last, so as not to produce equation numbers on lines where no equation numbers are required. The `\label{}` command should only be used at the last line of an align environment where `\nonumber` is not used.

$$Y_\infty = \left(\frac{m}{\text{GeV}}\right)^{-3} \left[1 + \frac{3 \ln(m/\text{GeV})}{15} + \frac{\ln(c_2/5)}{15}\right] \quad (3)$$

The class file also supports the use of `\mathbb{}`, `\mathscr{}` and `\mathcal{}` commands. As such `\mathbb{R}`, `\mathscr{R}` and `\mathcal{R}` produces \mathbb{R} , \mathscr{R} and \mathcal{R} respectively

Equations must be provided as editable text, either in a Word or LaTeX source file. They should be numbered consecutively through the manuscript as shown in Equations 1, 2 and 3. In APA style, when discussing numbered equations in the text, write out the word ‘‘Equation’’ and give the number. For example, you would write ‘‘see Equation 1.’’ Use no punctuation after the equation if it appears at the end of a sentence; however, it is permissible (and may even be necessary) to place some form of punctuation after it (a comma or semi-colon, for example) if it appears in the middle of the sentence and is

followed by text. In any case, maintain the coherence of all sentences with equations in them.

5. How to Include Tables

Use the table and tabular environments for basic tables — see Tables 1 and 2, for example. Table 1 is an sample figure including table footnotes. For more information, please see this help article on tables.

Table 1: Sample table with footnotes

column 1	column 2	column 3	column 4
row 1	data 1	data 2	data 3
row 2	data 4	data 5 ¹	data 6
row 3	data 7	data 8	data 9 ²

Source: This is an example of table footnote. This is an example of table footnote. This is an example of table footnote. This is an example of table footnote. This is an example of table footnote.

¹ Example of a first table footnote.

² Example of a second table footnote.

Table 2: Example of a lengthy table which is set to full textwidth.

Project	Element 1 ¹			Element 2 ²		
	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 4	500 A	961	922 ± 10	900 A	1268	1092 ± 40

Note: This is an example of table footnote this is an example of table footnote this is an example of table footnote this is an example of table footnote this is an example of table footnote.

¹ Example of a first table footnote.

² Example of a second table footnote.

6. How to Include Figures

First you have to upload the image file from your computer using the upload link in the file-tree menu. Then use the includegraphics command to include it in your document. Use the figure environment and the caption command to add a number and a caption to your figure. See the code for Figure 1 in this section for an example. As shown in Figures 1 and 2, the images should be single-page documents.

Note that your figure will automatically be placed in the most appropriate place for it, given the surrounding text and taking into account other figures or tables that may

be close by. You can find out more about adding images to your documents in this help 133
 article on [including images on Overleaf](#). 134



Figure 1: This cat picture is located at the 'figures' folder.

6.1 More information about figures 135

As per display \LaTeX standards one has to use eps images for latex compilation and 136
 pdf/jpg/png images for pdflatex compilation. This is one of the major differences 137
 between latex and pdflatex. The images should be single-page documents. The com- 138
 mand for inserting images for latex and pdflatex can be generalized. The package used 139
 to insert images in latex/pdflatex is the graphicx package. Figures can be inserted via 140
 the normal figure environment as shown in the below example: 141




Figure 2: Overall caption for the three figures: (a) caption for figure a, (b) caption for figure b, and (c) caption for figure c.

```

\begin{figure}[h] 142
  \centering\includegraphics{<eps-file>} 143
  \caption{<figure-caption>} 144
  \label{<figure-label>} 145
\end{figure} 146

```

7. How to Include Algorithms, Program Codes, and Listings 147

Listings 148

Packages `algorithm`, `algorithmicx`, and `algpseudocode` are used for setting algorithms in latex. For this, one has to use the below format: 149
150

```
\begin{algorithm} 151  
\caption{<alg-caption>}\label{<alg-label>} 152  
\begin{algorithmic}[1] 153  
. . . 154  
\end{algorithmic} 155  
\end{algorithm} 156
```

You may need to refer to the above-listed package documentation for more details before setting an `algorithm` environment. To set program codes, one has to use the `program` package. We need to use the `\begin{program} . . . \end{program}` environment to set program codes. 157
158
159
160

Algorithm 1 Calculate $y = x^n$

Require: $n \geq 0 \vee x \neq 0$

Ensure: $y = x^n$

```
1:  $y \leftarrow 1$   
2: if  $n < 0$  then  
3:    $X \leftarrow 1/x$   
4:    $N \leftarrow -n$   
5: else  
6:    $X \leftarrow x$   
7:    $N \leftarrow n$   
8: end if  
9: while  $N \neq 0$  do  
10:  if  $N$  is even then  
11:     $X \leftarrow X \times X$   
12:     $N \leftarrow N/2$   
13:  else[ $N$  is odd]  
14:     $y \leftarrow y \times X$   
15:     $N \leftarrow N - 1$   
16:  end if  
17: end while
```

Similarly, for listings, one has to use the `listings` package. To set environments similar to the `verbatim` environment, the `\begin{lstlisting} . . . \end{lstlisting}` environment is used. Refer to the `lstlisting` package documentation for more details on this. 161
162
163
164

```

for i:=maxint to 0 do
begin
  { do nothing }
end;
Write('Case_insensitive_');
Write('Pascal_keywords. ');

```

165

8. How to Include Lists

166

List in \LaTeX can be of three types: numbered, bulleted, and unnumbered. The “enumerate” environment produces a numbered list, the “itemize” environment produces a bulleted list, and the “unlist” environment produces an unnumbered list. In each environment, a new entry is added via the `\item` command.

1. This is the 1st item 171

2. Enumerate creates numbered lists, itemize creates bulleted lists, and unnumberate creates unnumbered lists. 172
173

a. Second level numbered list. Enumerate creates numbered lists, itemize creates bulleted lists, and description creates unnumbered lists. 174
175

b. Second level numbered list. Enumerate creates numbered lists, itemize creates bulleted lists, and description creates unnumbered lists. 176
177

(i) Third level numbered list. Enumerate creates numbered lists, itemize creates bulleted lists, and description creates unnumbered lists. 178
179

(ii) Third level numbered list. Enumerate creates numbered lists. 180

c. Second level numbered list. Enumerate creates numbered lists, itemize creates bulleted lists, and description creates unnumbered lists. 181
182

3. Numbered lists continue. 183

Lists in \LaTeX can be of three types: enumerate, itemize, and description. In each environment, a new entry is added via the `\item` command. 184
185

• First level bulleted list. This is the 1st item 186

• First level bulleted list. Itemize creates bulleted lists, and description creates unnumbered lists. 187
188

– Second level dashed list. Itemize creates bulleted lists, and description creates unnumbered lists. 189
190

– Second level dashed list. Itemize creates bulleted lists, and description creates unnumbered lists.	191 192
• First level bulleted list. Bullet lists continue.	193
Example of unnumbered list items:	194
Sample unnumberd list text. Sample unnumberd list text. Sample unnumberd list text.	195
Sample unnumberd list text. Sample unnumberd list text.	196
Sample unnumberd list text. Sample unnumberd list text. Sample unnumberd list text.	197
Sample unnumberd list text. Sample unnumberd list text. Sample unnumberd list text.	198
Sample unnumberd list text.	199

9. How to Add Citations and a References List 200

You can simply upload a `.bib` file containing your BibTeX entries, created with a tool such as JabRef. You can then cite entries from it, like this: Greenwade (1993). Just remember to specify a bibliography style, as well as the filename of the `.bib`. You can find a [video tutorial here](#) to learn more about BibTeX.

Here is an example citation when you want an author name like Collins et al. (2011) to appear in the text. And here’s how to do a parenthetic citation, when you want to mention a reference at the end of a sentence or part of a sentence (Collins et al., 2013). It is possible to cite multiple references at the same time (Collins, 2011; Collins et al., 2016; Lunn, 2007a, 2007b; Ross, 2006; Shannon, 1948).

If you have an [upgraded account](#), you can also import your Mendeley or Zotero library directly as a `.bib` file, via the upload menu in the file-tree.

9.1 Citation in text 212

Please ensure that every reference cited in the text is also present in the reference list (and vice versa). Citations in the text should follow the referencing style used by the American Psychological Association. You are referred to the Publication Manual of the American Psychological Association (APA), Seventh Edition, ISBN 978-1-4338-3215-4, copies of which may be ordered online. References in the Abstract should be avoided, but if essential, then cite the author(s) and year(s). Unpublished results and personal communications are not recommended in the reference list but may be mentioned in the text. If these references are included in the reference list, they should follow the standard reference style of the journal and should include a substitution of the publication date with either ‘Unpublished results’ or ‘Personal communication’. The citation of a reference as ‘in press’ implies that the item has been accepted for publication.

An APA in-text citation includes only three items: the last name(s) of the author(s), the year the source was published, and sometimes the page or location of the information. More than one reference from the same author(s) in the same year must be identified by the letters ‘a’, ‘b’, ‘c’, etc., placed after the year of publication. The following paragraph shows examples of APA style of citations.

Here is an example citation when you want an author name like Collins et al. to appear in the text. And here’s how to do a parenthetical citation when you want to mention a reference at the end of a sentence or part of a sentence. It is possible to cite multiple references at the same time.

The followings are examples of `\textcite{...}`: Rahman & Adjeroh (2019), Horvath & Raj (2018) and Krizhevsky et al. (2012), and LeCun et al. (2015), Ravì et al. (2016) and Zhang et al. (2018). Another example of `\parencite{...}`: (Bahdanau et al., Imboden et al., Ji et al., Motiian et al., Murphy, 2012).

9.2 References

The Reference Section, also called the Reference List or Cited Works List, is a list of the full-text details of the in-text citations that have been used in the main text. It includes information such as the name of the author(s), the year the source was published, the full title of the source, and the URL or page range. The Reference Section allows the reader to find the text easily and can be considered as the long-hand format of the in-text citation. It is found at the end of the piece of writing. The works in a reference section should be arranged first alphabetically and then further sorted chronologically if necessary.

9.2.1 Web references

As a minimum, the full URL and the date when the reference was last accessed should be given. Any further information, if known (DOI, author names, dates, reference to a source publication, etc.), should also be given. Web references can be listed separately (e.g., after the reference list) under a different heading if desired or can be included in the reference list. With standard numerical .bst files, only numerical citations are possible. With an author-year .bst file, both numerical and author-year citations are possible.

9.2.2 Examples of reference style

You can find information about the examples of APA-style references to various sources at the following site:

<https://apastyle.apa.org/style-grammar-guidelines/references/examples>.

10. Conclusions 257

Some conclusions here. 258

Conflicts of Interest 259

The authors must declare conflicts of interest or state “The authors declare no conflict of interest.” Authors must identify and declare any personal circumstances or interests that may be perceived as inappropriately influencing the representation or interpretation of reported research results. A detailed definition of conflicts of interest is available at the following site: https://academic.oup.com/journals/pages/authors/preparing_your_manuscript/ethics#conflict. 260
261
262
263
264
265

Author Contributions 266

The authors must specify the individual contributions of all authors, identified by full names, according to NISO Credit (Contributer Roles Taxonomy) described at the following site: <https://credit.niso.org/>. An example statement is as follows: 267
268
269

Kunwoo Lee: Conceptualization, Methodology, Software. **Shuming Gao:** Data curation, Writing—original draft. **Sang Hun Lee:** Visualization, Investigation. **Jami J. Shah:** Supervision. **Hiromasa Suzuki:** Software, Validation. **Myung-II Roh:** Writing—review & editing. 270
271
272
273

Funding 274

Cite all funding for your research, providing the grant number and the funder name. An example statement is as follows: This work is supported in part by funds from the National Science Foundation (NSF: # 1636933 and # 1920920). 275
276
277

If the funder is listed in the Crossref funder registry (<https://www.crossref.org/services/funder-registry/>), the funder name should appear exactly as it does in that database. Where grants were received by specific members of the author group, they should be identified by initials. 278
279
280
281

More information on funding agency requirements is available at <https://academic.oup.com/pages/open-research/open-access/complying-with-funder-policies>. 282
283

Data Availability 284

The data availability statement should provide information on where and under what conditions the data directly supporting the publication can be accessed. Sample data 285
286

availability statements are available at the following site: [https://academic.oup.com/](https://academic.oup.com/pages/open-research/research-data#Data%20Availability%20Statements) 287
[pages/open-research/research-data#Data%20Availability%20Statements.](https://academic.oup.com/pages/open-research/research-data#Data%20Availability%20Statements) 288

Acknowledgments 289

The authors thank those people or institutions that have helped you in the preparation 290
of the manuscript. 291

References 292

- Bahdanau, D., Cho, K., & Bengio, Y. (2014). Neural machine translation by jointly learn- 293
ing to align and translate. *arXiv preprint arXiv:1409.0473*. [https://doi.org/10.](https://doi.org/10.48550/arXiv.1409.0473) 294
[48550/arXiv.1409.0473](https://doi.org/10.48550/arXiv.1409.0473) 295
- Collins, T. (2011). *Improved methods for pattern discovery in music, with applications* 296
in automated stylistic composition [Doctoral dissertation, Faculty of Mathematics, 297
Computing and Technology, The Open University]. 298
- Collins, T., Arzt, A., Flossmann, S., & Widmer, G. (2013). SIARCT-CFP: Improving pre- 299
cision and the discovery of inexact musical patterns in point-set representations 300
[Retrieved 13 November, 2013 from [https://tomcollinsresearch.net/pdf/](https://tomcollinsresearch.net/pdf/collinsEtAlISMIR2013.pdf) 301
[collinsEtAlISMIR2013.pdf](https://tomcollinsresearch.net/pdf/collinsEtAlISMIR2013.pdf)]. In A. S. Britto Jr, F. Gouyon & S. Dixon (Eds.), *Pro-* 302
ceedings of the international society for music information retrieval conference 303
(pp. 549–554). International Society for Music Information Retrieval. 304
- Collins, T., Arzt, A., Frostel, H., & Widmer, G. (2016). Using geometric symbolic fin- 305
gerprinting to discover distinctive patterns in polyphonic music corpora. In D. 306
Meredith (Ed.), *Computational music analysis* (pp. 445–474). Springer. 307
- Collins, T., Laney, R., Willis, A., & Garthwaite, P. H. (2011). Modeling pattern import- 308
ance in Chopin’s mazurkas. *Music Perception*, 28(4), 387–414. 309
- Greenwade, G. D. (1993). The Comprehensive Tex Archive Network (CTAN). *TUGBoat*, 310
14(3), 342–351. 311
- Horvath, S., & Raj, K. (2018). Dna methylation-based biomarkers and the epigenetic 312
clock theory of ageing. *Nature Reviews Genetics*, 19(6), 371. [https://doi.org/10.](https://doi.org/10.1038/s41576-018-0004-3) 313
[1038/s41576-018-0004-3](https://doi.org/10.1038/s41576-018-0004-3) 314
- Imboden, M. T., Harber, M. P., Whaley, M. H., Finch, W. H., Bishop, D. L., & Kaminsky, 315
L. A. (2018). Cardiorespiratory fitness and mortality in healthy men and women. 316
Journal of the American College of Cardiology, 72(19), 2283–2292. [https://doi.](https://doi.org/10.1016/j.jacc.2018.08.2166) 317
[org/10.1016/j.jacc.2018.08.2166](https://doi.org/10.1016/j.jacc.2018.08.2166) 318
- Ji, S., Xu, W., Yang, M., & Yu, K. (2012). 3d convolutional neural networks for human 319
action recognition. *IEEE Transactions on Pattern Analysis and Machine Intelli-* 320
gence, 35(1), 221–231. <https://doi.org/10.1109/TPAMI.2012.59> 321

- Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). Imagenet classification with deep convolutional neural networks. *Advances in Neural Information Processing Systems*, 1097–1105.
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436. <https://doi.org/10.1038/nature14539>
- Lunn, D. (2007a). Part A: Statistics lecture notes [Retrieved 15 July, 2010 from http://www.stats.ox.ac.uk/~dlunn/A5_06/A5_2006.htm].
- Lunn, D. (2007b). Part B: Applied statistics lecture notes [Retrieved 15 July, 2010 from http://www.stats.ox.ac.uk/~dlunn/BS1_05/BS1_mt05.htm].
- Motiian, S., Piccirilli, M., Adjeroh, D. A., & Doretto, G. (2017). Unified deep supervised domain adaptation and generalization. *Proceedings of the IEEE International Conference on Computer Vision*, 5715–5725.
- Murphy, K. P. (2012). *Machine learning: A probabilistic perspective*. MIT press.
- Rahman, S. A., & Adjeroh, D. (2019). Centroid of age neighborhoods: A generalized approach to estimate biological age. *2019 IEEE EMBS International Conference on Biomedical & Health Informatics (BHI)*, 1–4. <https://doi.org/10.1109/BHI.2019.8834608>
- Ravi, D., Wong, C., Deligianni, F., Berthelot, M., Andreu-Perez, J., Lo, B., & Yang, G.-Z. (2016). Deep learning for health informatics. *IEEE Journal of Biomedical and Health Informatics*, 21(1), 4–21. <https://doi.org/10.1109/JBHI.2016.2636665>
- Ross, S. (2006). *A first course in probability* (7th). Pearson Education, Inc.
- Shannon, C. E. (1948). A mathematical theory of communication. *Bell System Technical Journal*, 27, 379–423, 623–656.
- Zhang, K., Liu, N., Yuan, X., Guo, X., Gao, C., & Zhao, Z. (2018). Fine-grained age estimation in the wild with attention LSTM networks. *arXiv preprint arXiv:1805.10445*. <https://doi.org/10.1109/TCSVT.2019.2936410>

Appendix

A. Some Notation

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consetetuer odio sem sed wisi.

A.1 Appendix subsection title here 357

As shown in Equation A1, the section number is inserted in the equation number. Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetur eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor. 358
359
360
361
362
363

$$Y_\infty = \left(\frac{m}{\text{GeV}}\right)^{-3} \left[1 + \frac{3 \ln(m/\text{GeV})}{15} + \frac{\ln(c_2/5)}{15}\right] \quad (\text{A1})$$

A.2 Appendix subsection title here 364

As shown in Table A1, the section number is inserted in the table number. Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetur tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo. 365
366
367
368
369
370
371
372

Table A1: Sample table with three parts and five columns

column 1	column 2	column 3	column 4	column 5
row 1	data 0	data 1	data 2	data 3
row 2	data 4	data 5	data 6	data 7
row 3	data 8	data 9	data 10	data 11

B. Some More Notation 373

As shown in Figure B1, the section number is inserted in the figure number. Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl. 374
375
376
377
378
379

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In 380
381
382
383



Figure B1: This cat picture is located at the 'figures' folder.

hac habitasse platea dictumst. Etiam condimentum facilis libero. Suspendisse in elit 384
quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. 385
Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin 386
mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam 387
lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate 388
ligula tellus eu neque. Vivamus eu dolor. 389

B.1 Appendix subsection title here 390

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellen- 391
tesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. 392
Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, 393
lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus 394
orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque 395
massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. 396
Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue. 397